

**DWC-B1363TIR****DWC-B1363TIR**

Our STAR-LIGHT™ Series offers super low light imaging for any application. Along with Smart Digital Noise Reduction, our Star-Light technology offers a slow shutter feature that increases the length of time the shutter remains open to collect additional ambient light illuminating typically dark environments.

Features

- 3D DNR (Digital Noise Reduction): OFF / LOW / MIDDLE / HIGH
- Auto Sensing Dual Voltage with Line Lock
- BLC - Backlight Compensation
- D/N - Day/ Night: True
- Easy Icon Driven OSD Menu with Built-in Joystick
- HME - Highlight Masking Exposure
- IR Distance: 100ft Range IR with Intelligent Camera Sync
- No Fog or Condensation Under any Weather Condition
- Programmable Privacy Zones: 8 Programmable Zones
- Resolution: 600TVL (Color) 620TVL (B/W)
- Secondary Video - BNC Output: Included
- Star-Light™ (Super Low Light Technology)
- IP66: Protects against dust and high pressure water




Specifications

Image		
Maximum resolution		48MP, 9MP, 16MP
Signal technology		Universal HD over Coax technology
Operational		
Camera Control		Pelco D
Network		
Video Management Software		ExacqVision Technologies, Milestone Systems
Environmental		
Compliance		ONVIF
Mechanical		
Housing		Panoramic, Box, LPR



Accessories (optional)



DWC-PMB-BU
Pole mount bracket for bullet
cameras

